



DELHI TRANSPORT CORPORATION
(Govt. of NCT of Delhi)
MEDICAL BOARD, I.P. DEPOT
I.P. ESTATE, NEW DELHI -110002

75
आज़ादी का
अमृत महोत्सव

Ref. No.: MB/IPD/2023/ 569

Dated: 16.08.2023

Subject: Prevention and Control of mosquito breeding in DTC Depots and Workshops for prevention of Vector Borne Diseases-reg.

Kind attention of all is invited to the letter no. DHO/CNZ/2023/D-707 dated 21.07.2023, received from the Office of Deputy Commissioner (CZ), Municipal Corporation of Delhi, on the above subject.

As it is high time for mosquito breeding and spread of vector-borne diseases, the Depot Managers/Unit in-charges are requested to ensure that the following preventive measures are observed in the premises under their control/supervision, for curbing the spread of dengue, chikungunya, zika and malaria.

1. Water from Desert Coolers must be drained out. They may be used without water
2. All overhead tanks in offices and residential premises must have well-fitted lids, and all broken lids must be replaced immediately.
3. All spare parts and damaged vehicles lying in the open may be kept under cover as far as possible so that no rainwater collects in them and they become a breeding ground.
- 4 In case it's not feasible to cover all the articles, staff may be directed to coordinate with the malaria circle in charge of the concerned ward and take Temephos granules free of cost for putting in the water collection.
5. All waste articles/scrap/spare parts capable of holding rainwater or wastewater must be disposed of immediately.
6. All Tyres must be stacked up in a vertical manner, and the topmost tyre should be covered with a trampoline.

As the observance of the above measures will not only protect our own staff from getting dengue infection but is also essential in view of the forthcoming G20 Summit and to maintain National pride, and therefore they must be followed in letter and spirit.

Encl.: As above

Dr Vinod Kumari

Chief Medical Officer

Nodal Officer/ In-charge Medical Board, DTC

Distribution:

1. All Depot Managers/Unit In-charges (Through Email)
2. All Part Time Medical Officers (PTMOs)
3. Dy. CGM (Admin)

Copy to:

1. OSD to MD: For the kind information of MD please
2. Manager (IT): with a request to get this circular uploaded on DTC website

Sumit
To Clerk
to upload pls.
17/8

Mgt-(IT)/2023/1438
17-8-23



दिनांक: 16.08.20

क्रमांक: एमबी/आईपीडी/2023/569

विषय: वेक्टर जनित रोगों की रोकथाम के लिए डीटीसी डिपो और कार्यशालाओं में मच्छरों के प्रजनन की रोकथाम और नियंत्रण के संबंध में।

उपर्युक्त विषय पर दिल्ली नगर निगम के उपायुक्त (सीजेड) से प्राप्त पत्र संख्या: डीएचओ/सीएनजेड/2023/डी-707 दिनांक 21.07.2023 (प्रतिलिपि संलग्न) की ओर सभी का ध्यान आकर्षित किया जाता है।

चूंकि यह मच्छरों के प्रजनन और वेक्टर जनित बीमारियों के फैलने का उपयुक्त समय है, इसलिए डिपो प्रबंधकों/यूनिट प्रभारियों से यह अनुरोध किया जाता है कि डेंगू, चिकनगुनिया, जीका और मलेरिया के प्रसार को रोकने के लिए उनके पर्यवेक्षण के तहत परिसर में निम्नलिखित निवारक उपायों का पालन सुनिश्चित किया जाए।

1. कूलरों से पानी निकाला जा सकता है, इनका उपयोग बिना पानी के किया जा सकता है।
2. कार्यालयों और आवासीय परिसरों में सभी ओवरहेड टैंकों में अच्छी तरह से ढक्कन लगे होने चाहिए, और सभी टूटे हुए ढक्कनों को तुरंत बदला जाना चाहिए।
3. खुले में पड़े सभी स्पेयर पार्ट्स और क्षतिग्रस्त वाहनों को जहां तक संभव हो ढक कर रखा जाए ताकि उनमें बारिश का पानी जमा न हो और वे प्रजनन स्थल न बन जाएं।
4. यदि सभी वस्तुओं को कवर करना संभव नहीं है, तो कर्मचारियों को संबंधित वार्ड के मलेरिया सर्कल प्रभारी के साथ समन्वय कर, उपयोग के लिए, टेम्पोस ग्रैन्यूल निःशुल्क लेने का निर्देश दिया जा सकता है।
5. वर्षा जल या अपशिष्ट जल को धारण करने में सक्षम सभी बेकार वस्तुओं/कबाड़/स्पेयर पार्ट्स का तुरंत निपटारा किया जाना चाहिए।
6. सभी टायरों को ऊर्ध्वाधर तरीके से खड़ा किया जाना चाहिए, और सबसे ऊपरी टायर को ट्रैम्पोलिन से ढका जाना चाहिए।

चूंकि उपरोक्त उपायों का पालन न केवल हमारे अपने कर्मचारियों को डेंगू संक्रमण से बचाएगा, बल्कि आगामी जी20 शिखर सम्मेलन के मद्देनजर और राष्ट्रीय गौरव बनाए रखने के लिए भी आवश्यक है, अतः इनका पालन सुनिश्चित किया जाना चाहिए।

अनुलग्नक: प्राप्त पत्र की प्रति।

विनोद कुमार

डॉ विनोद कुमार
मुख्य चिकित्सा अधिकारी
नोडल अधिकारी/प्रभारी मेडिकल बोर्ड

वितरण:

1. सभी डिपो प्रबंधक/यूनिट प्रभारी (ईमेल के माध्यम से)
2. सभी अंशकालिक चिकित्सा अधिकारी (पीटीएमओ)
3. उप. मुख्य महाप्रबंधक (प्रशासन)

प्रतिलिपि:

1. एमडी के ओएसडी: प्रबंध निदेशक की जानकारी के लिए।
2. प्रबंधक (आईटी): इस परिपत्र को डीटीसी वेबसाइट पर अपलोड कराने के अनुरोध के साथ।

Municipal Corporation of Delhi
Office of Deputy Commissioner
Central Zone, Lajpat Nagar, New Delhi-110024

No.DHO/CNZ/2023/D-707

D.T.C. No.
Dated: 28.07.2023

Dated: 21 Jul 2023

To,

Managing Director
Delhi Transport Corporation
DTC HQ, I.P. Estate, New Delhi

D. No. 1039
24 JUL 2023
R&I Sec. DTC, H.Q.
I.P. Estate, New Delhi-110002

MD DTC
DTC/2023/0545
FMS Dy. No.
Dated: 26/07/2023

Subject: Prevention and control of mosquito breeding in DTC Depots and Workshops for prevention of Vector Borne Diseases

Madam

Dengue is a viral infection transmitted by bite of infected Aedes mosquitoes. Mosquito transmitting Dengue, Chikungunya and Zika breeds in clean water collection in domestic and peridomestic settings. The virus responsible for causing dengue has four serotypes and secondary Dengue infection may present with severe Dengue. There is no specific treatment for dengue and prevention of mosquito breeding and source reduction is only effective way for prevention and control of dengue, Chikungunya & Zika. Zika has been reported in different Indian states and transmission may take place in Delhi also. This is beginning of transmission season of vector borne diseases especially dengue, chikungunya & malaria.

Hon'ble High Court of Delhi is monitoring the situation of Dengue in Delhi and a task Force has also been constituted in all zones of MCD where Delhi Transport Department is also a stake holder member. I had convened 2nd Task Force Meeting on Prevention & Control of Vector Borne Diseases on 27.06.2023. Issue of mosquito breeding in DTC Depots was also discussed. It has already been deliberated that all stakeholders will take all measures for prevention and control of breeding in their respective premises.

Please find attached copy of communication written by Commissioner MCD addressed to all Administrative Heads for taking measures for Prevention and control of breeding at work places (Annexure A). These measures will protect your own staff also from getting Dengue infection. Your support becomes more crucial in view of forthcoming G20 Summit and to maintain National pride.

You are requested to issue directions to all Depots and Workshops under your administrative control to inspect the premises and take following measures for prevention and control of dengue, chikungunya and malaria:

1. Water from Desert Coolers must be drained out. They may be used without water
2. All overhead tanks in office and residential premises must have well fitted lid and all broken lids must be replaced immediately

3. All spare parts and damaged vehicles lying in open may be kept under cover as far as possible so no rain water collects in them and become the breeding ground.
4. In case it's not feasible to cover all the articles, staff may be directed to coordinate with malaria circle in charge of concerned ward and take Temephos granules free of cost for putting in the water collection.
5. All waste articles/scraps/spare parts capable of holding rain water or waste water must be disposed of immediately.
6. All Tyres must be stacked up in vertical manner and top most tyre should be covered with trampoline
7. A Nodal Officer may be designated to coordinate with concerned Malaria circle I/c. contact details of all Malaria circle in charges is given as **Annexure B**
8. They may feel free to contact Dr N R Tuli (9999185808), Deputy Health Officer for any help

It's requested that a status report may be sent to undersigned on various measures taken by your field units through mail at dhocentral.2023@gmail.com

N A 10.7.23
Dr Naveen Aggarwal, IAS
Deputy Commissioner
Central Zone

Copy to
Deputy Health Officer

Copy for information:

- Additional Commissioner (Central Zone)
- Additional Commissioner (Health)
- PS to Commissioner for info to Commissioner

Annexure-B

S.N.	Ward No.	Name of Ward	Name of Ward Incharge	Contact No.
1	142	Daryaganj	Vikram Singh Rawar, MI	8076707157
2	143	Sidharth Nagar	Dharamveer Meena, CAMI	9599810051
3	144	Lajpat Nagar	Hari Singh Meena, CAMI	9650699600
4	145	Andrews Ganj	Jai Bhagwan, CAMI	9718706007
5	146	Amar Colony	Sandeep Gupta, CAMI	9990414370
6	147	Kotla Mubarakpur	Jainender Singh, CAMI	9711021596
7	168	Sangam Vihar-C	Madan Mohan, AMI	9650777558
8	169	Sangam Vihar-B	Dhirender Kumar, CAMI	9205562363
9	170	Tkd. Extn.	Vikram Singh, CAMI	8851141346
10	174	Sri Niwaspuri	Pritosh Kumar, CAMI	8506025999
11	175	Kalka Ji	Dharmander, CAMI	9968835902
12	176	Govind Puri	Gauri Shankar, CAMI	8750032228
13	177	Harkesh Nagar	Bhurnal Meena, CAMI	7065276784
14	178	Tkd. Village	Amod Kumar, AMI	9716008400
15	179	Pul Pehladpur	Sanjeen Kumar, CAMI	8447636745
16	180	Badarpur	Krishan Gopal, CAMI	9811199945
17	181	Molarband	Prashant Kumar, CAMI	9015269015
18	182	Om Vihar	Bhagwat Prashad Mishra, MI	8802939170
19	183	Hari Nagar	Kushal Kumar, CAMI	8750012888
20	184	Jaitpur	Baljeet Singh, AMI	8447900867
21	185	Madanpur Khadar (East)	Rajeev Prakash, CAMI	9891541662
22	186	Madanpur Khadar (West)	Ranveer Singh, AMI	9818848858
23	187	Sarita Vihar	Jagdish, AMI	9999078998
24	188	Abul Fazal	Ajit Saad, AMI	9599260104
25	189	Zakir Nagar	Sri Niwas, AMI	9891942532